

# **Product Safety Information Sheet**

General environmental and safety information for consumers

# 1. Product and Company Identification

- 1.1 Identification of the preparationC1823 series No. 23 cyan, magenta and yellow inks
- 1.2 Company undertaking identification
   Hewlett-Packard Company
   1000 NE Circle Boulevard
   Corvallis OR 97330-4239
   USA
- 1.3 Emergency telephone number
  Hewlett-Packard Health Effects Line
  1-800-457-4209 (USA and Canada) or
  Intl +1-503-494-7199 (all other areas)
- 1.4 General information telephone number 1-208-323-2551 (in USA and Canada) Intl +1-208-323-2551 (all other areas)

| Hazard rating          | NFPA/HMIS |
|------------------------|-----------|
| Health                 | 1         |
| Flammability           | 2         |
| Instability/Reactivity | 0         |
| Special                | none      |

# 2. Composition/information on ingredients

This ink cartridge contains aqueous ink formulations.

For cvan (blue) ink formulation only:

| Component                      | CAS No.       | % by<br>weight | Workplace Limits (PEL, TLV) |
|--------------------------------|---------------|----------------|-----------------------------|
| Trade secret colorants         | not specified | <5             | Not established             |
| 1,5-pentanediol                | 111-29-5      | <10            | Not established             |
| Trade secret organic materials | not specified | <20            | Not established             |
| Nitrates                       | not specified | <4             | Not established             |
| Water                          | 7732-18-5     | balance        | Not established             |



For magenta (red) ink formulation only:

| Component                      | CAS No.       | % by weight | Workplace Limits (PEL, TLV) |
|--------------------------------|---------------|-------------|-----------------------------|
| Trade secret colorants         | not specified | <5          | Not established             |
| 1,5-pentanediol                | 111-29-5      | <10         | Not established             |
| Trade secret organic materials | not specified | <20         | Not established             |
| Nitrates                       | not specified | <4          | Not established             |
| Water                          | 7732-18-5     | balance     | Not established             |

For vellow ink formulation only:

| Component                      | CAS No.       | % by weight | Workplace Limits (PEL, TLV) |
|--------------------------------|---------------|-------------|-----------------------------|
| Trade secret colorants         | not specified | <5          | Not established             |
| Diethylene glycol              | 111-46-6      | <5          | Not established             |
| Trade secret organic materials | not specified | <20         | Not established             |
| Nitrates                       | not specified | <4          | Not established             |
| Water                          | 7732-18-5     | balance     | Not established             |

# 3. Hazards Identification

3.1 *Primary Routes of Exposure* skin, eye, oral, and inhalation

#### 3.2 Acute Health Hazards

Skin: Ink may cause slight skin irritation characterized by redness and swelling

after prolonged contact. Indications may be masked by color of ink.

Eye: Ink may be mildly irritating.

Oral: May cause stomach upset.

*Inhalation:* Prolonged intentional inhalation may result in primary irritation to the respiratory tract.

### 3.3 Chronic Health Hazards

None noted

# 3.4 Carcinogenicity

No substance in this ink formulation is a listed carcinogen according to ACGIH, EPA, EU, IARC, MAK and OSHA criteria.

#### 4. First Aid Measures

#### 4.1 Emergency First Aid Procedures

Call the HEWLETT-PACKARD HEALTH EFFECTS LINE at 1-800-457-4209 (Intl + 1-503-494-7199 outside USA and Canada).

#### First aid for skin

Wash affected areas thoroughly with soap and water. Clothing should be laundered before reuse. **Seek medical attention if skin irritation persists.** 

#### First aid for eyes

Contact with eyes may cause mild irritation. Immediately flush with large amounts of clean, lukewarm water (low pressure) for at least 15 minutes. **Seek medical attention if eye irritation persists.** 

#### First aid for ingestion

Ingestion of ink may cause stomach upset. Call the HEWLETT-PACKARD HEALTH EFFECTS LINE. **Seek medical attention if stomach upset persists.** 

#### First aid for inhalation

Remove to fresh air.

5. Fire Fighting Measures

| Flash point:<br>>200°F, >93°C             | Autoignition temperature: not determined |
|---|--|
| Extinguishing media:                      | Special fire fighting procedures:        |
| Water, dry chemical, carbon dioxide, foam | none                                     |
| Unusual fire and explosion hazards:       |  |
| no special hazards known                  |  |

#### 6. Accidental release measures

Spill or Leak Procedures

No special procedures are indicated. Use absorbent towels to wipe up ink. Rinse area with damp cloth to remove remaining traces of ink.

#### 7. Handling and storage

No special handling or storage required.

#### KEEP OUT OF THE REACH OF CHILDREN

| <b>Storage temperature</b> : 59° – 95°F; 15° – 35°C            | Shelf life: 18 months     |
|--|---------------------------|
| Handling and storage precautions: do not use inkjet            | Special sensitivity: none |
| cartridge when frozen. Ensure inkjet cartridge exterior is dry |                           |
| before inserting into printer.                                 |                           |



### 8. Exposure control / personal protection

No special eye or skin protection is needed for cleanup of spills. Standard eye and skin protection for laboratory chemical safety is required.

9. Physical and chemical properties

| Appearance: cyan (blue), magenta | Physical state: liquid at room temperature |
|----------------------------------|--|
| (red), yellow liquids            |  |
| <b>pH:</b> 6.0 - 8.6             | Solvent content: <25%                      |
| Solubility in water: soluble     | Vapor density: >1 (air = 1.0)              |
| Odor: not applicable             | Vapor pressure: not applicable             |

10. Stability and reactivity

| <b>Stability:</b> stable under normal storage conditions | Thermal decomposition products: Oxides of carbon/nitrogen, water |
|--|--|
| Incompatibilities: strong oxidizers                      | Hazardous polymerization: none                                   |

### 11. Toxicological information

Refer to sections 3. Potential Health Effects and 4. First Aid Measures

The magenta (red) and yellow ink formulations in this product have been tested.

For the magenta (red) ink formulation:

Eye irritation and skin sensitization tests: negative.

For the yellow ink formulation:

The LD50 is >2500 mg/kg.

This ink formulation contains diethylene glycol and nitrates.

- Scientific evidence indicates that ingestion of some glycols can present health hazards including CNS and metabolic abnormalities, respiratory effects and kidney disorder.
- Nitrates and their derivatives can cause methemoglobinemia and result in respiratory depression. Primary indicators of prolonged overexposure include shortness of breath, headaches, dizziness and cyanosis (bluish skin and lips).

# 12. Ecological information

No data available

### 13. Disposal considerations

Dispose in accordance with all applicable federal, state and local laws

# 14. Transport information

Not a regulated article under DOT or IATA or ADR or RID

# 15. Regulatory information

According to EU Directive 88/379/EEC, this product is not classified as dangerous and therefore no hazard label is required. For other countries, including the USA, no product label would be required.

#### 16. Other Information

Date prepared: March 27, 2001. Supersedes: August 30, 1999.

Section revised: 5.0

DISCLAIMER: This Product Safety Information Sheet is offered without charge to the customers of Hewlett-Packard. Data is the most current known to Hewlett-Packard at the time of preparation and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application.