# MATERIAL SAFETY DATA SHEET

MAY BE USED TO COMPLY WITH OSHA'S HAZARD COMMUNICATION STANDARD 29CRF 1910.1200



DATI SECTION 1 CHEMICAI	PRODUCT / NAME					
Product/Chemical Name:	_ PRODUCT / NAME 1150 MI	CP				
	R24AM	UK .				
CAS Number:	Mixture					
Other Designations:	N/A					
General Use:	Laser Printer					
	20001111110					
SECTION 2 COMPOSI	TION / INFORMATION	I ON INGREDIE	INTS			
	CAS	EU	%	OSHA	ACGIH	OTHER
ngredient Name:	NUMBER	NUMBER	70	PEL	TLV	LIMITS
			Tone	er is regulated under OSH		e not
				otherwise regu		
Styrene/Acrylate Copolyme					10mg/m <sup>3</sup> total	
ron Oxide	12227-89-3				10mg/m <sup>3</sup> total	
Modified Polyester Resin	N/A				10mg/m <sup>3</sup> total 10mg/m <sup>3</sup> total	
Polypropylene Wax	9010-79-1				5mg/m <sup>3</sup> total	
Charge Control Dye	84179-66-8				Sing/in total o	iust
Does not contain ingredient NDA = NO DATA AVAILAI N/A = NOT APPLICABLE	BLE	dous properties a	ccording 29 CFR 1	910.1200.		
NDA = NO DATA AVAILA N/A = NOT APPLICABLE SECTION 3 HAZARDO	BLE	dous properties a	ccording 29 CFR 1	910.1200.	NFPA	/HMIS
NDA = NO DATA AVAILAI	BLE	dous properties a	ccording 29 CFR 1	910.1200.	NFPA HEALTH	/HMIS 1
NDA = NO DATA AVAILAI N/A = NOT APPLICABLE SECTION 3 HAZARDO Primary Entry Routes:	BLE	dous properties a	ccording 29 CFR 1	910.1200.		1
NDA = NO DATA AVAILA N/A = NOT APPLICABLE SECTION 3 HAZARDO Primary Entry Routes: Farget Organs: N/A Acute Effects: N/A	BLE	dous properties a	ccording 29 CFR 1	910.1200.	HEALTH	1 1
NDA = NO DATA AVAILA N/A = NOT APPLICABLE SECTION 3 HAZARDO Primary Entry Routes: Target Organs: N/A Acute Effects: N/A nhalation: Slight irritat	BLE US IDENTIFICATION Inhalation		ccording 29 CFR 1	910.1200.	HEALTH FLMMBLTY.	1 1
NDA = NO DATA AVAILA N/A = NOT APPLICABLE SECTION 3 HAZARDO Primary Entry Routes: Target Organs: N/A Acute Effects: N/A Inhalation: Slight irritat Eye: Dust may c	BLE US IDENTIFICATION Inhalation ion of respiratory tract. ause irritation by mechan		ccording 29 CFR 1	910.1200.	HEALTH FLMMBLTY. REACTIVITY	1 1 1 2 0
NDA = NO DATA AVAILAN N/A = NOT APPLICABLE SECTION 3 HAZARDO Primary Entry Routes: Target Organs: N/A Acute Effects: N/A nhalation: Slight irritat Eye: Dust may c Skin: Slight irritat	BLE US IDENTIFICATION Inhalation ion of respiratory tract. ause irritation by mechani ion.		ccording 29 CFR 1	910.1200.	HEALTH FLMMBLTY. REACTIVITY	1 1 1 2 0
ADA = NO DATA AVAILAN N/A = NOT APPLICABLE SECTION 3 HAZARDO Primary Entry Routes: Target Organs: N/A Acute Effects: N/A Acute Effects: N/A Anhalation: Slight irritat Eye: Dust may c Skin: Slight irritat ngestion: None know	BLE US IDENTIFICATION Inhalation ion of respiratory tract. ause irritation by mechani ion.		ccording 29 CFR 1	910.1200.	HEALTH FLMMBLTY. REACTIVITY	1 1 <sup>7</sup> 0
NDA = NO DATA AVAILAI N/A = NOT APPLICABLE SECTION 3 HAZARDO Primary Entry Routes: Target Organs: N/A Acute Effects: N/A Inhalation: Slight irritat Eye: Dust may c Skin: Slight irritat Ingestion: None know Carcinogenicity: N/A	BLE US IDENTIFICATION Inhalation ion of respiratory tract. ause irritation by mechan ion. n.	ical abrasion.		910.1200.	HEALTH FLMMBLTY. REACTIVITY PPE (Sec.8)	1 1 1 2 0
NDA = NO DATA AVAILAN N/A = NOT APPLICABLE SECTION 3 HAZARDO Primary Entry Routes: Target Organs: N/A Acute Effects: N/A Inhalation: Slight irritat Eye: Dust may c Skin: Slight irritat Ingestion: None know Carcinogenicity: N/A Medical Conditions Aggra	BLE US IDENTIFICATION Inhalation ion of respiratory tract. ause irritation by mechan ion. n.	ical abrasion.			HEALTH FLMMBLTY. REACTIVITY PPE (Sec.8)	1 1 <sup>7</sup> 0
NDA = NO DATA AVAILAN N/A = NOT APPLICABLE SECTION 3 HAZARDO Primary Entry Routes: Target Organs: N/A Acute Effects: N/A Inhalation: Slight irritat Eye: Dust may c Skin: Slight irritat Ingestion: None know Carcinogenicity: N/A Medical Conditions Aggra may Chronic Effects: If the	BLE US IDENTIFICATION Inhalation ion of respiratory tract. ause irritation by mechan ion. n. avated By Long-Term Es cause congestion. ese materials are used in a	ical abrasion. <b>xposure:</b> A a manner that cou	accumulation of due	st in the respiratory system ne particles (dust), it is re	HEALTH FLMMBLTY. REACTIVITY PPE (Sec.8) m	1 1 - -
NDA = NO DATA AVAILA N/A = NOT APPLICABLE SECTION 3 HAZARDO Primary Entry Routes: Target Organs: N/A Acute Effects: N/A nhalation: Slight irritat Eye: Dust may c Skin: Slight irritat ngestion: None know Carcinogenicity: N/A Medical Conditions Aggra may Chronic Effects: If the the o	BLE US IDENTIFICATION Inhalation ion of respiratory tract. ause irritation by mechani ion. n. Avated By Long-Term Ex cause congestion. ese materials are used in a dust may be treated as a f	ical abrasion. <b>xposure:</b> A a manner that cou NUISANCE PART	accumulation of due	st in the respiratory system ne particles (dust), it is re	HEALTH FLMMBLTY. REACTIVITY PPE (Sec.8) m	1 1 - -
NDA = NO DATA AVAILAI NA = NOT APPLICABLE SECTION 3 HAZARDO Primary Entry Routes: Target Organs: N/A Acute Effects: N/A Acute Effects: N/A Acute Effects: N/A Acute Effects: Slight irritat ges: Dust may c Skin: Slight irritat ngestion: None know Carcinogenicity: N/A Medical Conditions Aggra may Chronic Effects: If the the c	BLE US IDENTIFICATION Inhalation ion of respiratory tract. ause irritation by mechani ion. n. avated By Long-Term Ex cause congestion. ese materials are used in a fust may be treated as a f strial Hygienists (ACGIH)	ical abrasion. <b>xposure:</b> A a manner that cou NUISANCE PART	accumulation of due	st in the respiratory system ne particles (dust), it is re	HEALTH FLMMBLTY. REACTIVITY PPE (Sec.8) m	1 1 - -
NDA = NO DATA AVAILAI N/A = NOT APPLICABLE SECTION 3 HAZARDO Primary Entry Routes: Target Organs: N/A Acute Effects: N/A Inhalation: Slight irritat Eye: Dust may c Skin: Slight irritat Ingestion: None know Carcinogenicity: N/A Medical Conditions Aggra may Chronic Effects: If the the c Indu	BLE US IDENTIFICATION Inhalation ion of respiratory tract. ause irritation by mechan ion. n. avated By Long-Term Ex- cause congestion. ese materials are used in a bust may be treated as a f strial Hygienists (ACGIH) MEASURES	ical abrasion. <b>xposure</b> : A a manner that cou NUISANCE PART (TLV=10mg/m <sup>3</sup> ).	accumulation of due uld generate airbor TCULATE accordir	st in the respiratory syste ne particles (dust), it is re ng to the American Confe	HEALTH FLMMBLTY. REACTIVITY PPE (Sec.8) m	1 1 - -
NDA = NO DATA AVAILAN N/A = NOT APPLICABLE SECTION 3 HAZARDO Primary Entry Routes: Target Organs: N/A Acute Effects: N/A Acute Effects: N/A Inhalation: Slight irritat Ingestion: None know Carcinogenicity: N/A Medical Conditions Aggra May Chronic Effects: If the the o Indu SECTION 4 FIRST AID Inhalation: Remove to	BLE US IDENTIFICATION Inhalation ion of respiratory tract. ause irritation by mechan ion. n. avated By Long-Term Ex cause congestion. ese materials are used in a bust may be treated as a f strial Hygienists (ACGIH)) MEASURES fresh air. Treat any irritati	ical abrasion. <b>xposure:</b> A a manner that cou NUISANCE PART (TLV=10mg/m <sup>3</sup> ). ion symptomatical	accumulation of dus uld generate airbor TICULATE accordir	st in the respiratory system ne particles (dust), it is re ng to the American Confe	HEALTH FLMMBLTY. REACTIVITY PPE (Sec.8) m	1 1 - -
NDA = NO DATA AVAILAI N/A = NOT APPLICABLE SECTION 3 HAZARDO Primary Entry Routes: Target Organs: N/A Acute Effects: N/A Acute Effects: N/A Acute Effects: N/A Acute Effects: N/A Acute Effects: N/A Acute Effects: N/A Nealation: Slight irritat ngestion: None know Carcinogenicity: N/A Medical Conditions Aggra May Chronic Effects: If the the o Indu SECTION 4 FIRST AID nhalation: Remove to Eye Contact: In case of o	BLE US IDENTIFICATION Inhalation ion of respiratory tract. ause irritation by mechan ion. n. avated By Long-Term Ex cause congestion. ese materials are used in strial Hygienists (ACGIH) MEASURES fresh air. Treat any irritati ontact immediately flush of	ical abrasion. <b>xposure:</b> A a manner that cou NUISANCE PART (TLV=10mg/m <sup>3</sup> ). ion symptomatical with plenty of low	accumulation of dus uld generate airbor TICULATE accordir Ily. Call a physiciar pressure water for	st in the respiratory system ne particles (dust), it is re ng to the American Confe	HEALTH FLMMBLTY. REACTIVITY PPE (Sec.8) m	1 1 - -
NDA = NO DATA AVAILAI N/A = NOT APPLICABLE SECTION 3 HAZARDO Primary Entry Routes: Target Organs: N/A Acute Effects: N/A Inhalation: Slight irritat Eye: Dust may c Skin: Slight irritat Ingestion: None know Carcinogenicity: N/A Medical Conditions Aggra May Chronic Effects: If the the c Indu SECTION 4 FIRST AID Inhalation: Remove to Eye Contact: In case of c 15 minutes.	BLE US IDENTIFICATION Inhalation ion of respiratory tract. ause irritation by mechanion. n. avated By Long-Term Ex cause congestion. ese materials are used in a fust may be treated as a f strial Hygienists (ACGIH)) MEASURES fresh air. Treat any irritati ontact immediately flush o Remove any contact len:	ical abrasion. <b>xposure:</b> A a manner that counce NUISANCE PART (TLV=10mg/m <sup>3</sup> ). ion symptomatical with plenty of low ses to ensure tho	accumulation of dus uld generate airbor TICULATE accordir Ily. Call a physiciar pressure water for	st in the respiratory system ne particles (dust), it is re ng to the American Confe	HEALTH FLMMBLTY. REACTIVITY PPE (Sec.8) m	1 1 - -
NDA = NO DATA AVAILAN N/A = NOT APPLICABLE SECTION 3 HAZARDO Primary Entry Routes: Target Organs: N/A Acute Effects: N/A Acute Effects: N/A Inhalation: Slight irritat Eye: Dust may c Skin: Slight irritat Ingestion: None know Carcinogenicity: N/A Medical Conditions Aggra may Chronic Effects: If the the c Indu SECTION 4 FIRST AID Inhalation: Remove to Eye Contact: In case of c 15 minutes.	BLE US IDENTIFICATION Inhalation ion of respiratory tract. ause irritation by mechanion. n. avated By Long-Term Ex cause congestion. ese materials are used in a fust may be treated as a f strial Hygienists (ACGIH)) MEASURES fresh air. Treat any irritati ontact immediately flush o Remove any contact len:	ical abrasion. <b>xposure:</b> A a manner that counce NUISANCE PART (TLV=10mg/m <sup>3</sup> ). ion symptomatical with plenty of low ses to ensure tho	accumulation of dus uld generate airbor TICULATE accordir Ily. Call a physiciar pressure water for	st in the respiratory system ne particles (dust), it is re ng to the American Confe	HEALTH FLMMBLTY. REACTIVITY PPE (Sec.8) m	1 1 - -
NDA = NO DATA AVAILAN N/A = NOT APPLICABLE SECTION 3 HAZARDO Primary Entry Routes: Target Organs: N/A Acute Effects: N/A Acute Effects: N/A Inhalation: Slight irritat Eye: Dust may c Skin: Slight irritat Ingestion: None know Carcinogenicity: N/A Medical Conditions Aggra may Chronic Effects: If the the c Indu SECTION 4 FIRST AID Inhalation: Remove to Eye Contact: In case of c 15 minutes. Skin Contact: Wash well w	BLE US IDENTIFICATION Inhalation ion of respiratory tract. ause irritation by mechanision. n. Avated By Long-Term Ex cause congestion. ese materials are used in a fust may be treated as a f strial Hygienists (ACGIH) MEASURES fresh air. Treat any irritati ontact immediately flush of Remove any contact lens with soap and running war	ical abrasion. <b>xposure:</b> A a manner that cou NUISANCE PART (TLV=10mg/m <sup>3</sup> ). ion symptomatical with plenty of low ses to ensure those ter.	Accumulation of dus uld generate airbor TICULATE accordin Ily. Call a physiciar pressure water for rough flushing.	st in the respiratory system ne particles (dust), it is re ng to the American Confe n if condition persists.	HEALTH FLMMBLTY. REACTIVITY PPE (Sec.8) m	1 1 - -
NDA = NO DATA AVAILAI N/A = NOT APPLICABLE SECTION 3 HAZARDO Primary Entry Routes: Target Organs: N/A Acute Effects: N/A Acute Effects: N/A Acute Effects: N/A Acute Effects: N/A Acute Effects: N/A Acute Effects: N/A Sight irritat ngestion: None know Carcinogenicity: N/A Medical Conditions Aggra may Chronic Effects: If the the o Indu SECTION 4 FIRST AID nhalation: Remove to Eye Contact: In case of o 15 minutes. Skin Contact: Wash well well well well well well well wel	BLE US IDENTIFICATION Inhalation ion of respiratory tract. ause irritation by mechanion. n. avated By Long-Term EP cause congestion. ese materials are used in a dust may be treated as a f strial Hygienists (ACGIH) MEASURES fresh air. Treat any irritati ontact immediately flush Remove any contact lena with soap and running wai d, get appropriate in-plan	ical abrasion. <b>xposure:</b> A a manner that cou NUISANCE PART (TLV=10mg/m <sup>3</sup> ). ion symptomatical with plenty of low ses to ensure tho ter. <i>t paramedic or co</i>	Accumulation of dus uld generate airbor TICULATE accordin Ily. Call a physiciar pressure water for rough flushing.	st in the respiratory system ne particles (dust), it is re ng to the American Confe n if condition persists.	HEALTH FLMMBLTY. REACTIVITY PPE (Sec.8) m	1 1 - -
NDA = NO DATA AVAILAN N/A = NOT APPLICABLE SECTION 3 HAZARDO Primary Entry Routes: Target Organs: N/A Acute Effects: N/A Acute Effects: N/A Acute Effects: N/A Acute Effects: N/A Acute Effects: N/A Acute Effects: N/A Medical Conditions Aggra Medical Conditions Aggra May Chronic Effects: If the the o Indu SECTION 4 FIRST AID nhalation: Remove to Eye Contact: In case of o 15 minutes. Skin Contact: Wash well well magestion: N/A After first ai	BLE US IDENTIFICATION Inhalation ion of respiratory tract. ause irritation by mechanision. n. Avated By Long-Term Ex cause congestion. ese materials are used in a fust may be treated as a f strial Hygienists (ACGIH) MEASURES fresh air. Treat any irritati ontact immediately flush of Remove any contact lens with soap and running war	ical abrasion. <b>xposure:</b> A a manner that cou NUISANCE PART (TLV=10mg/m <sup>3</sup> ). ion symptomatical with plenty of low ses to ensure tho ter. <i>t paramedic or co</i>	Accumulation of dus uld generate airbor TICULATE accordin Ily. Call a physiciar pressure water for rough flushing.	st in the respiratory system ne particles (dust), it is re ng to the American Confe n if condition persists.	HEALTH FLMMBLTY. REACTIVITY PPE (Sec.8) m	1 1 - -

SECTION 5	FIRE FIGH	TING MEASURES
Flash Point:	N/A	
Flash Point M		
Burning Rate		
-		: Not Determined
LEL:	N/A	
UEL:	N/A	
Flammability		n: 1 Slight (HMIS, NFPA)
Extinguishing		Water spray, dry chemical, foam, carbon dioxide, or halon type extinguishers.
Unusual Fire	-	
Hazardous Co	-	
		Under certain conditions some aliphatic aldehydes and carboxylic acids
Eiro Eighting	Instructions	may form.
		Do not release runoff from fire controls methods to sewers or waterways.
Fire-Fighting	Equipment:	Because fire may produce toxic thermal decomposition products, wear a
		self-contained breating apparatus (SCBA) with full facepiece operated in pressure-demand or positive-pressure mode.
SECTION 6	ACCIDENT	AL RELEASE MEASURES
SECTION 6 Spill / Leak Pr		N/A
•		a container for disposal, suction up remaining material with a high efficiency
onian opinioi	vacuum clea	
Large Spills:		a container for disposal, suction up remaining material with a high efficiency
go opo.	vacuum clea	
Containment:		ills, avoid suspending particles, collect for later disposal. Do not release
		or waterways.
Cleanup:		equirements.
Regulatory R		
		AND STORAGE
Handling Pred		
	cautions:	Keep containers closed at all times. Avoid creating dust. Keep away from ignition sources.
		Keep containers closed at all times. Avoid creating dust. Keep away from ignition sources. Store in a cool, dry location.
Storage Required Regulatory Regulatory Regulatory	irements:	Store in a cool, dry location.
Storage Requ Regulatory Re	irements: equirement:	Store in a cool, dry location. N/A
Storage Requ Regulatory Re	irements: equirement: EXPOSURE	Store in a cool, dry location.
Storage Requine Regulatory Regulatory 8	uirements: equirement: EXPOSURE Controls:	Store in a cool, dry location. N/A
Storage Requ Regulatory Re SECTION 8 Engineering (	irements: equirement: EXPOSURE Controls: Provide gen	Store in a cool, dry location. N/A E CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations
Storage Requ Regulatory Re SECTION 8 Engineering (	irements: equirement: EXPOSURE Controls: Provide gen below OSH	Store in a cool, dry location. N/A E CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant
Storage Requ Regulatory Re SECTION 8 Engineering (	irements: equirement: EXPOSURE Controls: Provide gen below OSH/ dispersion ir	Store in a cool, dry location. N/A E CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations
Storage Requ Regulatory Ro SECTION 8 Engineering 0 Venilation: Administrativ	irements: equirement: EXPOSURE Controls: Provide gen below OSH/ dispersion ir re Controls:	Store in a cool, dry location. N/A
Storage Requ Regulatory Ro SECTION 8 Engineering 0 Venilation:	irements: equirement: EXPOSURE Controls: Provide gen below OSH/ dispersion ir re Controls:	Store in a cool, dry location. N/A
Storage Requ Regulatory Ro SECTION 8 Engineering 0 Venilation: Administrativ	irements: equirement: EXPOSURE Controls: Provide gen below OSH/ dispersion ir re Controls:	Store in a cool, dry location. N/A  E CONTROLS / PERSONAL PROTECTION  eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source.  Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear
Storage Requ Regulatory Ro SECTION 8 Engineering 0 Venilation: Administrativ	irements: equirement: EXPOSURE Controls: Provide gen below OSH/ dispersion ir re Controls:	Store in a cool, dry location. N/A  E CONTROLS / PERSONAL PROTECTION  eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant into the work area by controlling it at its source.  Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability
Storage Requ Regulatory Ro SECTION 8 Engineering 0 Venilation: Administrativ	irements: equirement: EXPOSURE Controls: Provide gen below OSH/ dispersion ir re Controls:	Store in a cool, dry location. N/A  ECONTROLS / PERSONAL PROTECTION  eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant not the work area by controlling it at its source.  Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of
Storage Requ Regulatory Ro SECTION 8 Engineering 0 Venilation: Administrativ	irements: equirement: EXPOSURE Controls: Provide gen below OSH/ dispersion ir re Controls:	Store in a cool, dry location. N/A
Storage Requ Regulatory Ro SECTION 8 Engineering 0 Venilation: Administrativ	irements: equirement: EXPOSURE Controls: Provide gen below OSH/ dispersion ir re Controls:	Store in a cool, dry location. N/A
Storage Requ Regulatory Ro SECTION 8 Engineering 0 Venilation: Administrativ	irements: equirement: EXPOSURE Controls: Provide gen below OSH/ dispersion ir re Controls:	Store in a cool, dry location. N/A
Storage Requ Regulatory Ro SECTION 8 Engineering O Venilation: Administrativ Respiratory P	irements: equirement: EXPOSURE Controls: Provide gen below OSHA dispersion ir re Controls: Protection:	Store in a cool, dry location. N/A
Storage Requ Regulatory Ro SECTION 8 Engineering 0 Venilation: Administrativ	irements: equirement: EXPOSURE Controls: Provide gen below OSHA dispersion ir re Controls: Protection:	Store in a cool, dry location. N/A
Storage Requ Regulatory Ro SECTION 8 Engineering O Venilation: Administrativ Respiratory P	irements: equirement: EXPOSURE Controls: Provide gen below OSHA dispersion ir re Controls: Protection:	Store in a cool, dry location. N/A
Storage Requ Regulatory Ro SECTION 8 Engineering O Venilation: Administrativ Respiratory P	irements: equirement: EXPOSURE Controls: Provide gen below OSHA dispersion ir re Controls: Protection:	Store in a cool, dry location. N/A
Storage Requ Regulatory Ro SECTION 8 Engineering O Venilation: Administrativ Respiratory P	irements: equirement: EXPOSURE Controls: Provide gen below OSHA dispersion ir re Controls: Protection:	Store in a cool, dry location. N/A ECONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant into the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. <i>Warning! Air-purified respirators do not protect workers in oxygen-deficient atmosheres.</i> ment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye and face protection regulations (29CFR 1910.133). Contact lenses are not eye protective devices. Appropriate
Storage Requ Regulatory Ro SECTION 8 Engineering C Venilation: Administrativ Respiratory P	irements: equirement: EXPOSURI Controls: Provide gen below OSH/ dispersion ir re Controls: Protection:	Store in a cool, dry location. N/A
Storage Requ Regulatory Ro SECTION 8 Engineering C Venilation: Administrativ Respiratory P Protective Clo Safety Statior	irements: equirement: EXPOSURE Controls: Provide gen below OSH/ dispersion in re Controls: Protection: Protection:	Store in a cool, dry location. N/A  ECONTROLS / PERSONAL PROTECTION  eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source.  Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmosheres. ment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protection regulations (29CFR 1910.133). Contact lenses are not eye protective devices. Appropriate protection must be worn instead of, or in conjunction with contact lenses. emergency eyewash stations and washing facilities available in work area.
Storage Requ Regulatory Ro SECTION 8 Engineering C Venilation: Administrativ Respiratory P Protective Clo Safety Statior	irements: equirement: EXPOSURE Controls: Provide gen below OSH/ dispersion in re Controls: Protection: Protection:	Store in a cool, dry location. N/A
Storage Requ Regulatory Ro SECTION 8 Engineering C Venilation: Administrativ Respiratory P Protective Clo Safety Statior	irements: equirement: EXPOSURE Controls: Provide gen below OSH/ dispersion in re Controls: Protection: Protection:	Store in a cool, dry location. N/A  ECONTROLS / PERSONAL PROTECTION  eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant the work area by controlling it at its source.  Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmosheres.  ment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye and face protection regulations (29CFR 1910.133). Contact lenses are not eye protective devices. Appropriate protection must be worn instead of, or in conjunction with contact lenses.  remergency eyewash stations and washing facilities available in work area. Separate contaminated wprk clothing from street clothes. Launder before re-use. Remove this material from your shoes and clean personal protective
Storage Requ Regulatory Ro SECTION 8 Engineering O Venilation: Administrativ Respiratory P Protective Clo Safety Station Contaminated	irements: equirement: EXPOSURE Controls: Provide gen below OSH/ dispersion in re Controls: Protection: Protection:	Store in a cool, dry location. N/A
Storage Requ Regulatory Ro SECTION 8 Engineering C Venilation: Administrativ Respiratory P Protective Clo Safety Statior	irements: equirement: EXPOSURI Controls: Provide gen below OSH/ dispersion in re Controls: Protection: Protection: othing/Equiption ms: Make d Equipment: Never eat, d	Store in a cool, dry location. N/A  ECONTROLS / PERSONAL PROTECTION  eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant the work area by controlling it at its source.  Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmosheres. ment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye and face protection regulations (29CFR 1910.133). Contact lenses are not eye protective devices. Appropriate protection must be worn instead of, or in conjunction with contact lenses. remergency eyewash stations and washing facilities available in work area. Separate contaminated wprk clothing from street clothes. Launder before re-use. Remove this material from your shoes and clean personal protective
Storage Requ Regulatory Ro SECTION 8 Engineering O Venilation: Administrativ Respiratory P Protective Clo Safety Station Contaminated	irements: equirement: EXPOSURI Controls: Provide gen below OSH/ dispersion in re Controls: Protection: Protection: othing/Equiption ns: Make d Equipment: Never eat, d	Store in a cool, dry location. N/A

SECTION 9 PHYS				
Physical State:			Water Solubility:	Insoluble
Appearance and Odd	r. Black fi	ree flowing powder, slight odor	-	N/A
Odor Threshold:	N/A	ee nowing powder, sight odor	Boiling Point:	N/A
/apor Pressure:	N/A N/A		Freezing/Melting Point:	N/A
Vapor Density (Air=1		than air.	Viscosity:	N/A
	). Heavier N/A		Refractive Index:	
Formula Weight:				N/A
Density:	N/A		Surface Tension:	N/A
Specific Gravity:	,	, at 4°C): 1.4	% Volatile:	N/A
oH:	N/A		Evaporation Rate:	N/A
SECTION 10 STAI		REACTIVITY		
Stability: Stable	1			
Polymerization:	will not occur			
Chemical Incompatil	bilities: N	lone		
Conditions to Avoid:				
Hazardous Decompo	sition Product	t <b>s:</b> None		
SECTION 11 TOXI	COLOGICAL	INFORMATION		
Eye E	ffects: N	I/A	Toxicity Data:*	
Skin I	Effects: N	I/A	Acute Inhalation Effects:	N/A
Skint	mects: N	//A		
			Acute Oral Effects:	N/A
			OL 1 511	N1/A
			Chronic Effects:	N/A
			Chronic Effects: Carcinogenicity:	N/A N/A
			Carcinogenicity:	N/A
			Carcinogenicity:	N/A
			Carcinogenicity: Mutagenicity: Ames Test	N/A (Estimated from the results of
Ecotoxicity:	Logical inf N/A	·	Carcinogenicity: Mutagenicity: Ames Test Negative	N/A (Estimated from the results of testing the constituent components)
SECTION 12 ECO Ecotoxicity: Environmental Fate:	L <b>ogical inf</b> N/A N/A	ORMATION	Carcinogenicity: Mutagenicity: Ames Test Negative	N/A (Estimated from the results of testing the constituent components)
SECTION 12 ECO Ecotoxicity: Environmental Fate: Environmental Degra	LOGICAL INF N/A N/A adation: N	FORMATION	Carcinogenicity: Mutagenicity: Ames Test Negative	N/A (Estimated from the results of testing the constituent components)
SECTION 12 ECO Ecotoxicity: Environmental Fate: Environmental Degra	LOGICAL INF N/A N/A adation: N	ORMATION	Carcinogenicity: Mutagenicity: Ames Test Negative	N/A (Estimated from the results of testing the constituent components)
SECTION 12 ECO Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mo	LOGICAL INF N/A adation: N bility: N	FORMATION I/A I/A IDERATIONS	Carcinogenicity: Mutagenicity: Ames Test Negative Teratogenicity:	N/A (Estimated from the results of testing the constituent components) N/A
SECTION 12 ECO Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mo SECTION 13 DISP Disposal: Waste	LOGICAL INF N/A adation: N bility: N OSAL CONS material may b	I/A I/A IDERATIONS	Carcinogenicity: Mutagenicity: Ames Test Negative Teratogenicity: ts Iron Oxide under conditions	N/A (Estimated from the results of testing the constituent components) N/A
SECTION 12 ECO Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mo SECTION 13 DISP Disposal: Waste all fed	LOGICAL INF N/A adation: N bility: N OSAL CONS material may b eral, state, and	FORMATION I/A I/A IDERATIONS be incinerated / or recycled for i local environmental regulations	Carcinogenicity: Mutagenicity: Ames Test Negative Teratogenicity: ts Iron Oxide under conditions	N/A (Estimated from the results of testing the constituent components) N/A
SECTION 12 ECO Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mo SECTION 13 DISP Disposal: Waste all fed Disposal Regulartor	LOGICAL INF N/A adation: N bility: N OSAL CONS material may b eral, state, and r Requirement	FORMATION I/A I/A IDERATIONS be incinerated / or recycled for in local environmental regulations s: N/A	Carcinogenicity: Mutagenicity: Ames Test Negative Teratogenicity: ts Iron Oxide under conditions	N/A (Estimated from the results of testing the constituent components) N/A
SECTION 12 ECO Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mo SECTION 13 DISP Disposal: Waste all fed Disposal Regulartor	LOGICAL INF N/A adation: N bility: N OSAL CONS material may b eral, state, and r Requirement	FORMATION I/A I/A IDERATIONS be incinerated / or recycled for i local environmental regulations	Carcinogenicity: Mutagenicity: Ames Test Negative Teratogenicity: ts Iron Oxide under conditions	N/A (Estimated from the results of testing the constituent components) N/A
SECTION 12 ECO Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mo SECTION 13 DISP Disposal: Waste all fed Disposal Regulartory Container Cleaning a	LOGICAL INF N/A adation: N bility: N OSAL CONS material may b eral, state, and r Requirement and Disposal:	FORMATION I/A I/A IDERATIONS De incinerated / or recycled for in local environmental regulations s: N/A N/A	Carcinogenicity: Mutagenicity: Ames Test Negative Teratogenicity: ts Iron Oxide under conditions	N/A (Estimated from the results of testing the constituent components) N/A
SECTION 12 ECO Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mo SECTION 13 DISP Disposal: Waste all fed Disposal Regulartory Container Cleaning a	LOGICAL INF N/A adation: N bility: N OSAL CONS material may b eral, state, and r Requirement and Disposal:	FORMATION         I/A         I/A         IDERATIONS         De incinerated / or recycled for incinerated / or recycled for incinerated	Carcinogenicity: Mutagenicity: Ames Test Negative Teratogenicity: ts Iron Oxide under conditions s.	N/A (Estimated from the results of testing the constituent components) N/A
SECTION 12 ECO Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mo SECTION 13 DISP Disposal: Waste all fed Disposal Regulartory Container Cleaning a SECTION 14 TRAI DOT Transportation	LOGICAL INF N/A adation: N bility: N OSAL CONS material may b eral, state, and r Requirement and Disposal:	FORMATION         I/A         I/A         IDERATIONS         De incinerated / or recycled for incinerated / or recycled for incinerated	Carcinogenicity: Mutagenicity: Ames Test Negative Teratogenicity: Its Iron Oxide under conditions s.	N/A (Estimated from the results of testing the constituent components) N/A
SECTION 12 ECO Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mo SECTION 13 DISP Disposal: Waste all fed Disposal Regulartory Container Cleaning a SECTION 14 TRAI DOT Transportation Shipping Name:	LOGICAL INF N/A adation: N bility: N OSAL CONS material may b eral, state, and r Requirement and Disposal: NSPORT INF( Data (49 CFR 1	FORMATION         I/A         I/A         IDERATIONS         IDERATIONS         Iocal environmental regulations         s:       N/A         N/A         N/A         DRMATION         IT2.101):       Not specifically	Carcinogenicity: Mutagenicity: Ames Test Negative Teratogenicity: Its Iron Oxide under conditions s.	N/A (Estimated from the results of testing the constituent components) N/A
SECTION 12 ECO Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mo SECTION 13 DISP Disposal: Waste all fed Disposal Regulartory Container Cleaning a SECTION 14 TRAI DOT Transportation Shipping Name: Shipping Symbol:	LOGICAL INF N/A N/A adation: N bility: N OSAL CONS material may b eral, state, and r Requirement and Disposal: NSPORT INF( Data (49 CFR 1	CORMATION  I/A I/A I/A IDERATIONS IDERATIONS Is: N/A N/A  DRMATION I72.101): Not specifically Packaging Authorization	Carcinogenicity: Mutagenicity: Ames Test Negative Teratogenicity: its Iron Oxide under conditions s. y listed.	N/A (Estimated from the results of testing the constituent components) N/A s which meet Quantity Limitations
SECTION 12 ECO Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mo SECTION 13 DISP Disposal: Waste all fed Disposal Regulartory Container Cleaning a SECTION 14 TRAI DOT Transportation Shipping Name: Shipping Symbol: Hazard Class:	LOGICAL INF N/A N/A adation: N bility: N OSAL CONS material may b eral, state, and r Requirement and Disposal: NSPORT INF( Data (49 CFR 1 N/A N/A	CORMATION  I/A I/A I/A IDERATIONS De incinerated / or recycled for i local environmental regulations s: N/A N/A  DRMATION I72.101): Not specifically Packaging Authorizatic a) Exceptions: b) Non-bulk Packaging:	Carcinogenicity: Mutagenicity: Ames Test Negative Teratogenicity: its Iron Oxide under conditions s. y listed. N/A	N/A (Estimated from the results of testing the constituent components) N/A s which meet Quantity Limitations a) Passenger, Aircraft, or
SECTION 12 ECO Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mo SECTION 13 DISP Disposal: Waste all fed Disposal Regulartory Container Cleaning a SECTION 14 TRAI DOT Transportation Shipping Name: Shipping Symbol: Hazard Class: D No:	LOGICAL INF N/A adation: N bility: N OSAL CONS material may b eral, state, and r Requirement and Disposal: NSPORT INF Data (49 CFR 1 N/A N/A N/A N/A	CORMATION  I/A I/A I/A IDERATIONS IDERATIONS Include a contract of the inclusion of the in	Carcinogenicity: Mutagenicity: Ames Test Negative Teratogenicity: its Iron Oxide under conditions s. y listed. N/A N/A N/A	N/A (Estimated from the results of testing the constituent components) N/A s which meet Quantity Limitations a) Passenger, Aircraft, or Railcar: N/A
SECTION 12 ECO Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mo SECTION 13 DISP Disposal: Waste all fed Disposal Regulartory Container Cleaning a SECTION 14 TRAI DOT Transportation Shipping Name: Shipping Symbol: Hazard Class: D No: Packing Group:	LOGICAL INF N/A adation: N bility: N OSAL CONS material may b eral, state, and r Requirement and Disposal: NSPORT INF( Data (49 CFR 1 N/A N/A N/A N/A N/A N/A	CORMATION  I/A I/A I/A IDERATIONS De incinerated / or recycled for i local environmental regulations s: N/A N/A  DRMATION I72.101): Not specifically Packaging Authorizatic a) Exceptions: b) Non-bulk Packaging:	Carcinogenicity: Mutagenicity: Ames Test Negative Teratogenicity: its Iron Oxide under conditions s. y listed. N/A N/A N/A	N/A (Estimated from the results of testing the constituent components) N/A s which meet Quantity Limitations a) Passenger, Aircraft, or Railcar: N/A Vessel Stowage Requirements
SECTION 12 ECO Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mo SECTION 13 DISP Disposal: Waste	LOGICAL INF N/A N/A adation: N bility: N OSAL CONS material may be eral, state, and r Requirement and Disposal: N/A Data (49 CFR 1 N/A N/A N/A N/A N/A N/A N/A N/A	CORMATION  I/A I/A I/A IDERATIONS De incinerated / or recycled for i local environmental regulations s: N/A N/A  DRMATION I72.101): Not specifically Packaging Authorizatic a) Exceptions: b) Non-bulk Packaging:	Carcinogenicity: Mutagenicity: Ames Test Negative Teratogenicity: its Iron Oxide under conditions s. y listed. N/A N/A N/A	N/A (Estimated from the results of testing the constituent components) N/A s which meet Quantity Limitations a) Passenger, Aircraft, or Railcar: N/A

## SECTION 15 REGULATORY INFORMATION

### EPA Regulations:

RCRA Hazardous Waste Number: Not listed (40 CFR 261.33) RCRA Hazardous Waste Classification: (40 CFR 261): Not classified CERCLA Hazardous Substance (40 CFR 302.4) listed unlisted specific per RCRA, sec. 3001; CWA sec.311 (b)(4); CWA, Sec. 307(a),CAA,Sec.112 CERCLA Reportable Quantity(RQ), Not listed

SARA 311/312 Codes:

SARA Toxic Chemical (40 CFR 372.65): Not listed

N/A

SARA EHS (Extremely Hazardous Substance) (40CFR 355): Not listed, Threshold Planning Quantity (TPQ)

#### OSHA Regulations:

Air Containment (29 CFR 1910.1000< Table Z-1-A): Particulates not otherwise regulated.

**State Regulations:** Check your states regulations that may specifically list copy machine toner.

### SECTION 16 OTHER INFORMATION

Prepared By: N/A Revision Notes: N/A Additional Hazard Rating System: N/A

> THIS INFORMATION IN THIS MSDS WAS OBTAINED FROM SOURCES WHICH WE BELIEVE ARE RELIABLE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY EXPRESS OR IMPLIED, REGARDLESS IT'S CORRECTNESS. THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE AND DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL, AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.