EK-900,990,999, EA1003A-0101, 1/5

MATERIAL SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name	Artline METALLIC INK MARKER EK-900XF , EK-990XF , EK-999XF (Gold) (Silver)
General Use	Paint marker
MSDS Number	EA1003A-0101
MANUFACTURER	
Company Name	Shachihata Co.,Ltd.
Address	4-69,Amatuka-chou,Nishi-ku,Nagoya-shi,Aichi-ken,Japan
Telephon Number	++ 81 52 521 3600
Fax Number	++ 81 52 521 3899

2. COMPOSITION / INFORMATION ON INGREDIENTS

Substance / Mixture Mixture

Hazardous Ingredients

Chemical or wt.%			CAS(TSCA)	EINECS
Common Name(s)	Gold	Silver	Number	Number
Cyclohexane, methyl-	30~40	50 ~ 60	108-87-2	203-624-3
Naphtha(petroleum),hydrotreated heavy	1~5	1~5	64742-48-9	265-150-3

EU symbol(s) and risk phrase(s) is specified in 15. REGULATORY INFORMATION.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW Flammable liquid with a solvent odor. May cause allergic skin reaction.

POTENTIAL HESALTH EFFECT No data available

POTENTIAL ENVIRONMENTAL EFFECTS No data available

MATERIAL SAFETY DATA SHEET

4. FIRST AID MEASURES

INHALATION Move to well ventilated place. See medical advice immediately.

- EYE Immediately flush with plenty of water. See medical advice immediately.
- SKIN Wipe off with dry cloth and wash with mild soap. See medical advice immediately.
- INGESTION See medical advice immediately.

PROTECTION TO FIRST – AIDERS No data available

NOTE TO PHYSICIAN Treatment may vary with condition of victim and specifics of incident.

5. FIRE FIGHTING MEASURES

- FLAMMABLE PROPERTIES Highly flammable
- EXTINGUISHING MEDIA Dry chemical powder, foam or carbon dioxide.
- FIRE FIGHTING INSTRUCTIONS Wear full fire-fighting turn-out gear and respiratory protection.

6. ACCIDENTAL RELEASE MEASURES

- LAND SPILL Wipe off with dry cloth.
- WATER SPILL Contain spilled liquid with sand or earth. Do not use combustible materials, such as sawdust.

7. HANDLING AND STORAGE

- HANDLING : Use only in the well-ventilated areas. Avoid contact with skin or eyes, or clothing. Avoid inhalation and ingestion. Avoid high temp. and fire. Wash throughly after handling.
- STORAGE : Store in a cool, dry, well-ventilated location. Keep away from heat, sunlight. Keep away from children.

EK-900,990,999, EA1003A-0101, 3/5

MATERIAL SAFETY DATA SHEET

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMIT VALUES

OSHA PEL (2002) [Cyclohexane,methyl-] TWA 500 ppm (2000 mg/m³) ACGIH TLV (2002) [Cyclohexane,methyl-] TWA 400 ppm EN LIMIT (2000/39/EN) Not established

EXPOSURE CONTROLS

Occupational Exposure Controls Engineering Controls Use exhaust ventilation to keep airborne concentration below exposure limits.

Personal Protection Respiratory Protection Use with local exhaust ventilation, when in long use.

Hand Protection

Not required, but wear safety gloves, if necessary.

Eye Protection

Not required, but wear safety glasses, if necessary.

Skin Protection

To prevent ANY contact, wear impervious clothing such as gloves, apron, as appropriate.

Environmental Exposure Controls Not established

9. PHYSICAL AND CHEMICAL PROPERTIES

AppearanceLiquidOdorminorBoiling Point / Boiling RangeNo datFlash Point- 2Explosive PropertiesNo datRelative Density (g/cm³)0.9 (SiSolubility [Water]Insolute

Liquid minor solvent odor No data available - 2 (closed cup) No data available 0.9 (Silver), 1.2 (Gold) g/cm³ Insoluble

EK-900,990,999, EA1003A-0101, 4/5

MATERIAL SAFETY DATA SHEET

10. STABILITY AND REACTIVITY

CONDITIONS TO AVOID	No data available				
STABILITY	No data available				
MATERIALS TO AVOID	No data available				
HAZARDOUS REACTIONS / DECOMPOSITION PRODUCTS No data available					
11. TOXICOLOGICAL INFORM	ATION				
Acute Toxicity (RTECS: 20	03.2)				
[Cyclohexane,methyl-] Oral Inhalatior	LD₅₀ (rat) > 3,200 mg/Kg h LCLo (rat) 82g m/m³/1H				
12. ECOLOGICAL INFORMATI	<u>ON</u>				
ECOTOXICITY	No data available				
BIOACCUMULATIVE POT	ENTIAL No data available				

OTHER ADVERSE EFFECTS No data available

13, DISPOSAL CONSIDERATIONS

Comply with all federal, state, EU, national and local regulations. <u>Do not dump this product into sewers</u>, on the ground or into any body of water.

3

14. TRANSPORT INFORMATION

UN CLASS UN Packing Group (PG) UN NUMBER Proper Shipping Name

1210 Printing ink, flammable

MATERIAL SAFETY DATA SHEET

15. REGULATORY INFORMATION

Refer to any other federal , s OSHA STATUS		EU , national and local regulations. This product is hazardous under 29 CFR 1910.1200.			
TSCA STATUS	:	All components on TSCA INVENTORY.			
CERCLA REPORTABI		LE QUANTITY (40 CFR 117,302) : Not applicable			
SARA TITLE	:	Not applicable			
This product is classified as	follows	and labeled accordingla,			
[Cyclohexane,methyl-] : [Naphtha(petroleum),hydrotre		• -			
Symbol :	F	[T] R:45-65 S: 53-45 (Highly Flammable)			
Risk Phrase :	N T Xn 11 38	(Dangerous for the environment) (Toxic) (Harmful) (Highly flammable) (Irritating to skin)			
	45 51/5 65 67	(May cause cancer.)			
Safety Advice :	2 9 16 33 45	 (Keep out of the reach of children.) (Keep container in a well-ventilated place.) (Keep away from sources of ignition – No smoking.) (Take precautionary measures against static discharges.) (In case of accident or if you feel unwell, seek medical 			
	53	advice immediately (show the label where possible). (Avoid exposure – obtain special instructions			
	61	before use.) (Avoid release to the environment. Refer to special instructions/safety data sheets.)			
	62	(If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.)			

Please refer to any other EU, national and local measures.

16. OTHER INFORMATION

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Shachihata Co.,Ltd.
It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.
Shachihata Co.,Ltd. assumes no legal responsibility for use or reliance upon this information.