SHARP

Data Revised : Sep. 1, 1999 Date Issued : June 1, 1998

MATERIAL SAFETY DATA SHEET (1/2)

MSDS No. F-00831

Section 1. Product Identification

Product:

AL-100TD / DM-150TD (Black Toner)

Section 2. Supplier's Name and Address

Sharp Corporation

22-22 Nagaike-cho, Abeno-ku, Osaka, Japan

Local suppliers are listed below. Please contact the nearest supplier for additional information.

(Country)	(Name and Telephone Number)
U.S.A.	Sharp Electronics Corporation
	Telephone number for information: 1-800-237-4277
	Emergency telephone number : 1-800-255-3924
Canada	Sharp Electronics of Canada Ltd.
	Telephone number for information: 905-890-2100
	Emergency telephone number : 1-800-255-3924
United	Sharp Electronics (U.K.) Ltd.
Kingdom	Telephone number for information: 01923-474013

Section 3. Ingredients						
Ingredients	CAS No.	Proportion	OSHA PEL	ACGIH TLV	Other Limits	
Styrene-homopolymer	9003-53-6	>40%	Not listed	Not listed	None	
Styrene-Acrylate Copolymer	29497-14-1	<35%	Not listed	Not listed	None	
Carbon black	1333-86-4	<7%	3.5mg/m ³	3.5mg/m ³	None	
Propylene homopolymer	9003-07-0	<5%	Not listed	Not listed	None	
Wax	8002-74-2	<5%	Not listed	Not listed	None	
Iron oxide	1317-61-9	<7%	Not listed	Not listed	None	

Section 4. Hazardous Identification (Emergency Overview)

Toner is a fine, black powder possessing no immediate hazard. There are no anticipated carcinogenic effects from exposure based on animal tests performed using toner. When used as intended according to instructions, studies do not indicate any symptoms of fibrosis will occur.

Section 5. Health Hazard Data

Route(s) of Entry: Inhalation?

Yes N

Skin?

Ingestion?

Possible but very unusual.

Health Hazards :

Acute oral toxicity --- LDL₀ of this toner is over 2,000mg/kg.

Mutagenicity --- The result of Ames test is negative.

Carcinogenicity:

: In 1996 the IARC reevaluated carbon black as a Group 2B carcinogen (possible human carcinogen). This classification is given to chemicals for which there is inadequate human evidence, but sufficient animal evidence on which to base an opinion of carcinogenicity. The classification is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle overload of the lung. Studies performed in animal models other than rats did not show any association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.

Chronic Effect :

: In a study in rats of chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the high concentration (16mg/m³) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m³) exposure group, but no pulmonary change was reported in the lowest (1mg/m³) exposure group, the most relevant level to potential human exposures.

Signs and Symptoms of Exposure

Minimal irritation to respiratory tract may occur as with

exposure to any non-toxic dust.

Medical Conditions Generally Aggravated by Exposure: None

SHARP

Data Revised: Sep. 1, 1999 Date Issued: June 1, 1998

1.1

Black

Negligible

Not applicable

Not applicable

MATERIAL SAFETY DATA SHEET (2/2)

Specific Gravity

PH

Viscosity

Color

Solubility in Water

MSDS No. F-00831

Section 5. Health Hazard Data (Continued)

Emergency and First Aid Procedures:

Inhalation; Remove to fresh air. If effects occur, consult medical personnel. ; In case of contact, immediately flush eyes with water for 15 minutes.

Section 6. Physical Chemical Characteristics

Not applicable **Boiling/Melting Point**

Not applicable Vapor Pressure Not applicable **Vapor Density**

Not applicable **Evaporation Rate** Fine powder **Appearance**

Odorless Odor

Section 7. Fire and Explosion Data

Not applicable Flash Point (Method Used)

>350°C **Ignition Temperature**

(UEL); Not applicable (LEL); Not applicable Flammable Limits

CO2, dry chemical, foam or water **Extinguishing Media**

Special Fire Fighting Procedure

This material has no unusual fire or explosion hazards. **Unusual Fire and Explosion Hazard**

Sensitivity to Mechanical Impact None None Sensitivity to Static Charge

Section 8. Reactivity Data

Stable Stability None Incompatibility (Material to Avoid)

CO. and NOx **Hazardous Decomposition** Will not occur. **Hazardous Polymerization**

Section 9. Precautions for Safe Handling and Use

Personal Protection Information (Respiratory, Eye Protection and Protective Glove):

Use of a dust mask is recommended when handling a large quantity of toner or during long

Term exposure, as with any non-toxic dust.

Engineering Control / Ventilation Not required.

Inhalation should be minimized as with any non-toxic dust. Work / Hygienic Practice

Sweep up or clean up with vacuum cleaner. Steps to be taken in case of Spill or Leak:

Waste material may be dumped or incinerated under conditions **Waste Disposal Method**

which meet all federal, state and local environmental regulations.

Section 10. Regulatory Information

Reactivity = 0 Health = 1 Flammability = 1 NFPA Rating (U.S.A.)

This product is not a controlled product. WHMIS Legislation (Canada) This product is not a hazardous material. **Transport Information**

None allocated. UN No.

Section 11. Other Information

IARC (1996) IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to References:

Humans, Vol. 65, Printing Process and Printing inks, Carbon Black and Some Nitro Compounds, Lyon,

pp-149-261

H. Muhle, B. Bellmann, O. Creutzenberg, C. Dasenbrock, H. Ernst, R. Kilpper, J. C. MacKenzie,

P. Morrow, U. Mohr, S. Takenaka, and R. Mermelstein (1991) Pulmonary Response to Toner upon Chronic

Inhalation Exposure in Rats. Fundamental and Applied Toxicology 17, pp. 280-299